

 This documentation may expose sensitive tokens or keys. Please review the highlighted sections and 



Documentation Settings 

 This documentation is not published yet, this is only a preview. Changes to the publishing settings w...

anchors

Introduction

Spatial anchors API for Vicinity.im

Overview

Basic CRUD operations for managing spatial anchors on vicinity.im

Authentication

Not yet implemented.

Error Codes

Not yet implemented.

Rate limit

None.

POST anchor

```
https://api.vicinity.im/anchor
```

Add spatial anchor to a lat/long location.

HEADERS

Content-Type

application/json

BODY raw



Documentation Settings ▼

```
{
  "pos": [33.33997013099871,-112.01307715167147],
  "type": "glTF",
  "url": "https://uhuro.com/pikachu3/scene.glTF"
}
```

Example Request

anchor

```
curl --location --request POST 'https://api.vicinity.im/anchor' \
--header 'Content-Type: application/json' \
--data-raw '{
  "pos": [33.33997013099871,-112.01307715167147],
  "type": "glTF",
  "url": "https://uhuro.com/pikachu3/scene.glTF"
}'
```

GET anchors

```
https://api.vicinity.im/anchors?geohash=9tbmej
```

Get an array of spatial anchors

PARAMS

geohash

9tbmej

Example Request

anchors

```
curl --location --request GET 'https://api.vicinity.im/anchors?geohash=9tbmej'
```

[Documentation Settings](#) ▼

DEL anchor

```
https://api.vicinity.im/anchor?id=WhrNRWbjM8YyLNYnUl2
```

Delete a spatial anchor

PARAMS

id

WhrNRWbjM8YyLNYnUl2

Example Request

anchor

```
curl --location --request DELETE 'https://api.vicinity.im/anchor?id=WhrNRWbjM8YyLNYnUl2'
```

GET findanchors

```
https://api.vicinity.im/findanchors?key=id&value=QncqEQ5B9uix5djCbGql
```

Search for anchors

PARAMS

key

id

value

QncqEQ5B9uix5djCbGql

Example Request

findanchors

```
curl --location --request GET 'https://api.vicinity.im/findanchors?key=id&value=0ncqEQ5B9uix5djCbGq1' --header 'Content-Type: application/json'
```

[Documentation](#) [Settings](#) ▼